

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

DEPARTMENT OF AGRICULTURE

MAY 18 1938



Department of Agriculture

SPRING

1938



CYPRIPEDIUM SPECTABILE

See page 6

Native American

FERN

and

WILD FLOWERS

ISAAC LANGLEY WILLIAMS

Exeter Wild Flower Gardens

P. O. Box 144 • EXETER • NEW HAMPSHIRE





Planting of Hardy Ferns

How to Order Wild Flowers

SHIPPING INSTRUCTIONS. Please state how you wish your order shipped. If no instructions are sent by a customer, we will use our best judgment, but will not be responsible for delay in transit.

PRICES. The prices in this list include all packing charges and delivery to the local Express or Freight station. If you wish orders shipped by Parcel Post, please add 10 per cent extra to the cost of the plants to cover delivery charges.


TERMS. All orders should be accompanied by full amount in cash, check, or money order.

DISCOUNT. All orders accompanied by full amount in cash, and received not later than March 31, are subject to a 10 per cent discount.

CLAIMS. When the plants are received, examine carefully and, if damaged in transit, notify the transportation company at once, entering claim with them for the amount of the damage. We are not responsible for damage in transit, but if the plants are unsatisfactory through fault of ours, notify us at once, and we will either replace or refund your money. Any complaint regarding the quality of the plants must be made within 10 days of receipt of plants.

GUARANTEE. All plants are guaranteed true to name and free from disease. Each shipment will be accompanied by a Certificate of Inspection.

RATES. Five plants of the same size and variety will be priced at the 10 rate, 25 at the 100 rate.




EXETER WILD FLOWER GARDENS

ISAAC LANGLEY WILLIAMS, Owner

P. O. Box 144

EXETER, NEW HAMPSHIRE



Polystichum acrostichoides Frond. See page 5

Hardy Native Ferns


The Ferns are one of our most useful groups of plants. They grow best in a shady location but some will thrive in full sun. The following Ferns are strong, clumpy plants and include the best varieties for general use.

| | | | |
|--|--------|--------|---------|
| ADIANTUM pedatum. American Maidenhair Fern. 2 ft. | 3 | 10 | 100 |
| Deciduous. Beautiful, feathery fronds on black stems. | | | |
| Shade..... | \$0 60 | \$1 50 | \$12 00 |
| ASPLENIUM platyneuron. Ebony Spleenwort. 6 to 12 in. | | | |
| Evergreen. Grows among the shaded rocks..... | 75 | 2 00 | 15 00 |
| trichomanes. Maidenhair Spleenwort. 4 to 6 in. Evergreen. | | | |
| Daintiest of the Ferns. Grows in clefts in the rocks..... | 75 | 2 00 | 15 00 |
| ATHYRIUM filixfemina. Lady Fern. 2 to 3 ft. Deciduous. | | | |
| One of the easiest to grow in partial shade or full sun.... | 60 | 1 50 | 10 00 |
| pycnocarpon. Narrowleaf Spleenwort. 2 to 3 ft. Deciduous. | | | |
| Rich green. Vigorous fronds. For the rich woods.. | 75 | 2 00 | 18 00 |
| thelypteroides. Silvery Spleenwort. 2 to 3 ft. Deciduous. | | | |
| Similar to the Lady Fern but with a silvery sheen from the color of the spores. Partial shade..... | 75 | 2 00 | 15 00 |
| BOTRYCHIUM virginianum. Rattlesnake Fern. 1 to 2 ft. | | | |
| Deciduous. From open woods..... | 75 | 2 00 | 15 00 |
| CAMPTOSORUS rhizophyllus. Walking Fern. Evergreen. | | | |
| Fronds 4 to 10 inches high that taper at the end and root from these tips. Grows on limestone cliffs. Shade..... | 75 | 2 00 | 15 00 |
| CYSTOPTERIS bulbifera. Berry Bladderfern. 1 to 2 ft. Deciduous. | | | |
| Slender, graceful species that prefers a moist bank or brookside. Shade..... | 75 | 2 00 | 15 00 |
| fragilis. Fragile Bladderfern. 1 ft. Deciduous. Graceful, small Fern that grows in rich soil on banks and hillsides.. | 75 | 2 00 | 15 00 |
| DENNSTÆDTIA punctilobula. Hayscented Fern. 2 ft. Deciduous. | | | |
| Graceful fronds that form a dense mat as this species spreads from the roots. Sun or shade. | | | |
| Strong clumps..... | 60 | 1 50 | 10 00 |
| Square-foot sods..... | 1 50 | 3 00 | 25 00 |

COLLECTION A. Ferns for open, sunny places

| | |
|--|--------------------|
| 10 Athyrium filixfemina. Lady Fern | \$1 50 |
| 10 Dennstædtia punctilobula. Hayscented Fern | 1 50 |
| 10 Osmunda regalis. Royal Fern | 2 00 |
| 5 Pteretis nodulosa. Ostrich Fern | 1 00 |
| 35 Ferns | Worth . . . \$6 00 |

This Collection for \$5.00 or half the Collection for \$2.75



Osmunda cinnamomea. See page 5

HARDY NATIVE FERNS, continued

| | | | |
|---|--------|--------|---------|
| DRYOPTERIS clintoniana. Clinton Wood Fern. 2 to 3 ft. | 3 | 10 | 100 |
| Evergreen. A large species suitable for moist woods..... | \$0 75 | \$2 00 | \$12 00 |
| cristata. Crested Wood Fern. 1 to 2 ft. Evergreen. A smaller edition of the above that grows on the hummocks in grassy bogs..... | 60 | 1 50 | 12 00 |
| dilatata. Mountain Wood Fern. 2 ft. Evergreen. Found on high mountain peaks. Shade..... | 1 00 | 3 00 | 25 00 |
| filix-mas. Male Fern. 2 to 3 ft. A rare species that grows among rocks. Almost evergreen. Shade..... | 1 50 | 4 50 | |
| goldiana. Goldie Fern. 3 to 4 ft. The largest of the Wood Ferns. It grows in rich, moist woods..... | 1 50 | 4 00 | 30 00 |
| hexagonoptera. Winged Wood Fern. 1 ft. Deciduous. Fronds are nearly as broad as tall. Shade..... | 1 00 | 2 50 | 20 00 |
| linnæana. Oak Fern. 4 to 6 in. Deciduous. A tiny, graceful species with triangular fronds and black stems. Shade. | 60 | 1 50 | 12 00 |
| marginalis. Leather Wood Fern. 2 to 3 ft. Evergreen. Dark green. One of the best Wood Ferns. Grows in rocky woods. | 60 | 1 50 | 12 00 |
| noveboracensis. New York Fern. 1 to 2 ft. Deciduous. Makes a good ground-cover in shade..... | 60 | 1 50 | 12 00 |
| phegopteris. Narrow Beech Fern. 6 to 12 in. Deciduous. Will spread to cover a brookside bank..... | 60 | 1 50 | 12 00 |
| spinulosa. Toothed Wood Fern. 2 to 3 ft. Evergreen. Graceful fronds much used by florists. Shade..... | 60 | 1 50 | 12 00 |
| thelypteris. Marsh Fern. 8 to 12 in. Grows in marshes in either sun or shade..... | 60 | 1 50 | 12 00 |
| LYGODIUM palmatum. Hartford or Climbing Fern. 3 to 4 ft. Deciduous. A rare climbing species..... | 1 50 | 4 00 | |
| ONOCLEA sensibilis. Sensitive Fern. 1 to 2 ft. Deciduous. Grows to more than 2 feet in bogs..... | 60 | 1 50 | 12 00 |
| OPHIOGLOSSUM vulgatum. Adderstongue. 6 in. A small Fern that grows in the open in damp meadows..... | 75 | 2 00 | 18 00 |

HARDY NATIVE FERNS, continued

| | | | |
|---|--------|--------|---------|
| OSMUNDA cinnamomea. Cinnamon Fern. 3 to 4 ft. Deciduous. Grows luxuriantly along our roadsides and in damp woods..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| claytoniana. Interrupted Fern. 3 to 4 ft. Deciduous. Does well in either sun or shade..... | 75 | 2 00 | 15 00 |
| regalis. Royal Fern. 3 ft. Deciduous. One of our most beautiful Ferns that grows well in either sun or shade... | 75 | 2 00 | 15 00 |
| PELLÆA atropurpurea. Purple Cliff Brake. 6 to 12 in. A native of sunny clefts in limestone ledges. Dark purple stems with bluish green fronds..... | 1 50 | 4 00 | |
| POLYPODIUM vulgare. Common Polypody. 6 in. Evergreen. Grows in mats on rocks in shade..... | 60 | 1 50 | 12 00 |
| POLYSTICHUM acrostichoides. Christmas Fern. 1 to 2 ft. Evergreen. Grows well in any fairly rich woods..... | 60 | 1 50 | 10 00 |
| brauni. Braun Hollyfern. 2 ft. A native of the deep, rich rocky woods..... | 1 50 | 4 00 | |
| PTERETIS nodulosa. Ostrich Fern. 4 to 6 ft. Grows along banks of streams and wet runs. Sun or shade..... | 75 | 2 00 | 15 00 |
| PTERIDIUM aquilinum. Bracken. 2 to 3 ft. Grows in full sun in dry, sandy soil..... | 60 | 1 50 | 10 00 |
| WOODSIA ilvensis. Rusty Woodsia. 6 in. Grows in crevices on ledges in full sun or partial shade..... | 60 | 1 50 | 12 00 |
| obtusa. Common Woodsia. 8 to 12 in. Suitable for shaded rocks..... | 75 | 2 00 | 15 00 |
| WOODWARDIA areolata. Chain Fern. 1 to 2 ft. For moist soil. Spores resemble chain-links..... | 75 | 2 00 | 15 00 |
| virginica. Virginia Chain Fern. 2 to 3 ft. Grows in swamps and bogs around shores of ponds..... | 60 | 1 50 | 12 00 |

COLLECTION B. Ferns for a shady place

| | | |
|----|--|---------------------|
| 10 | Adiantum pedatum. American Maidenhair Fern | \$1 50 |
| 10 | Athyrium filixfemina. Lady Fern | 1 50 |
| 10 | Dryopteris marginalis. Leather Wood Fern | 1 50 |
| 10 | Dryopteris spinulosa. Toothed Wood Fern | 1 50 |
| 10 | Osmunda cinnamomea. Cinnamon Fern | 2 00 |
| 10 | Osmunda claytoniana. Interrupted Fern | 2 00 |
| 20 | Polystichum acrostichoides. Christmas Fern | 3 00 |
| 80 | Ferns | Worth . . . \$13 00 |

This Collection for \$10.00 or half the Collection for \$5.50



Adiantum pedatum. See page 3



Cypripedium pubescens

Hardy Native Orchids

| | | | |
|---|--------|--------|---------|
| CALOPOGON pulchellus. Grass-Pink Orchid. 1 ft. Deep pink Orchid that grows in bogs and wet places..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| CYPRIPEDIUM acaule. Pink Moccasin Flower. 1 ft. This large-flowered Ladyslipper grows best in pine woods but grows well in hard woods if the soil is acid..... | 75 | 2 00 | 15 00 |
| acaule alba. White Moccasin Flower. 1 ft. The rare snow-white <i>Cypripedium acaule</i> . Requires acid soil. \$1.00 each.. | 3 00 | | |
| arietinum. Ramshead Ladyslipper. 6 in. A beautiful rare pink and white Ladyslipper. Fall only.....\$1.00 each.. | 3 00 | 8 00 | |
| candidum. White Ladyslipper. 6 to 12 in. Tiny white slippers. Grows in a neutral to alkaline soil and needs constant moisture and open shade.....\$1.00 each.. | 3 00 | 8 00 | |
| pubescens. Yellow Ladyslipper. 1 to 2 ft. Pure yellow blossoms sometimes with purple lines..... | 90 | 2 50 | 20 00 |
| spectabile. Showy Ladyslipper. 1 to 3 ft. The largest and most showy of our native Orchids. Pink and white flowers in June. Requires moist shade..... | 1 00 | 3 00 | 25 00 |
| GOODYERA pubescens. Rattlesnake Plantain. White blossoms on 1-foot spikes. The white-veined, nearly prostrate leaves make this plant very desirable. Blooms in August in the pine woods..... | 75 | 2 00 | 15 00 |

COLLECTION C. Native Ladyslippers

| | |
|---|--------------------|
| 5 <i>Cypripedium acaule</i> . Pink Moccasin Flower | \$1 00 |
| 5 <i>Cypripedium pubescens</i> . Yellow Ladyslipper | 1 25 |
| 5 <i>Cypripedium spectabile</i> . Showy Ladyslipper | 1 50 |
| 15 Ladyslippers | Worth . . . \$3 75 |


This Collection for \$3.00

HARDY NATIVE ORCHIDS, continued

| | | | |
|--|--------|--------|---------|
| HABENARIA blephariglottis. White Fringe-Orchid. Fragrant white fringed blossoms on 2-foot stalks in early August in wet bogs. Fall only..... | 3 | 10 | 100 |
| | \$1 50 | \$4 00 | \$30 00 |
| ciliaris. Yellow Fringe-Orchid. Orange-yellow blossoms in August on 1 to 2-foot stems in wet meadows..... | 1 00 | 3 00 | 25 00 |
| dilatata. White Bog-Orchid. 2 ft. A beautiful white Orchid that blossoms in June. Fall only..... | 1 50 | 4 00 | |
| fimbriata. Large Purple Fringe-Orchid. 2 to 3 ft. Our largest Habenaria, growing to 5 feet under favorable conditions. Fragrant lavender-pink flowers | 1 00 | 3 00 | 25 00 |
| hookeri. Hooker Orchid. 8 to 15 in. Flowers yellowish green. It has two large basal leaves of shining green. Blossoms in late June..... | 1 00 | 3 00 | 25 00 |
| lacera. Green Fringe-Orchid. 1 to 2 ft. Grows in the open, moist fields. It has greenish yellow flowers..... | 75 | 2 00 | 15 00 |
| orbiculata. Large Round-leaved Orchid. 1 ft. This Habenaria has two enormous basal leaves 4 to 7 inches in diameter, shining above, silvery beneath. Flowers greenish white in July or August. Fall only..... | 1 50 | 4 00 | |
| psycodes. Small Purple Fringe-Orchid. 1 to 2 ft. Grows somewhat smaller than the Fimbriata and has paler blossoms. Grows in shady bogs..... | 1 00 | 3 00 | 25 00 |
| LIPARIS liliifolia. Lily Twayblade. 6 to 8 in. A small Orchid of the swamps, with delicate orchid-colored blossoms in June and July..... | 1 00 | 2 50 | |
| ORCHIS spectabilis. A 6-inch Showy Orchis, with white and lavender-pink, fragrant blossoms. Grows well in the rich, shady woods..... | 1 00 | 3 00 | 25 00 |
| POGONIA ophioglossoides. Rose Pogonia. This 10-inch Orchid grows in sphagnum and cranberry bogs. Fragrant, pale rose-color flowers in June and July..... | 75 | 2 00 | 15 00 |
| SPIRANTHES cernua. Nodding Ladies-tresses. Fall-blooming Orchid of our fields and meadows that has fragrant white flowers on 8-inch, twisted spikes..... | 1 00 | 2 50 | 20 00 |
| gracilis. Slender Ladies-tresses. A more slender species that grows in dry fields and open woods. Fall only..... | 1 00 | 3 00 | |

Hardy Native Aquatic and Bog-Plants

| | | | |
|--|--------|--------|---------|
| ACORUS calamus. Sweetflag. 2 to 3 ft. Desirable for bog-gardens..... | 3 | 10 | 100 |
| | \$0 60 | \$1 50 | \$10 00 |
| ASCLEPIAS incarnata. Swamp Milkweed. 3 ft. Beautiful reddish flowers for the bog-garden or brookside..... | 75 | 2 00 | 15 00 |
| CALLA palustris. Wild Calla. 6 in. This white Calla blossoms in May in our shady bogs..... | 60 | 1 50 | 12 00 |
| CALTHA palustris. Marsh Marigold. 6 to 12 in..... | 60 | 1 50 | 12 00 |
| CHELONE glabra. White Turtlehead. 2 to 3 ft. White, snapdragon-like flowers in August in either sun or shade in moist bogs or along brooksides..... | 60 | 1 50 | 12 00 |
| DIONÆA muscipula. Venus Flytrap. A peculiar little plant that captures flies and other insects for a living..... | 1 00 | 3 00 | |
| IRIS prismatica. Cubeseed Iris. 1 to 1½ ft. Blue flowers on grass-like foliage in damp meadows..... | 60 | 1 50 | 12 00 |
| versicolor. Blueflag Iris. 1 to 2 ft. The native Blueflag needed in every bog or brookside garden..... | 60 | 1 50 | 10 00 |



Caltha palustris. See page 7



Asclepias tuberosa. See page 11

HARDY NATIVE AQUATIC and BOG-PLANTS, continued

| | | | |
|---|--------|--------|---------|
| LYTHRUM salicaria. Purple Loosestrife. Grows 2 to 4 feet tall, with brilliant purple spikes of flowers, along our brooks and ponds..... | 3 | 10 | 100 |
| | \$0 60 | \$1 50 | \$12 00 |
| MIMULUS ringens. Monkeyflower. 1 to 2 ft. A bog-plant that has blue monkey-like flowers in July..... | 75 | 2 00 | 15 00 |
| NUPHAR advena. Spatterdock or Cowlily. Yellow Cowlily that grows in ponds and quiet coves..... | 75 | 2 00 | 15 00 |
| NYMPHÆA odorata. White Waterlily. Our best Waterlily. Its fragrance and beauty cannot be adequately described. | 75 | 2 00 | 15 00 |
| PELTANDRA virginica. Virginia Arrow-arum. This sphagnum bog-plant has bright green leaves 4 to 12 inches long.... | 75 | 2 00 | 18 00 |
| PONTEDERIA cordata. Pickerelweed. 2 to 3 ft. The blue flower-spikes appear in July. Plant grows in shallow water. | 60 | 1 50 | 12 00 |
| SAGITTARIA latifolia. Arrowhead. Grows in shallow water and has broad, arrow-shaped leaves. The white flowers appear in July on 2-foot stems..... | 60 | 1 50 | 12 00 |
| SARRACENIA flava. Trumpet Pitcherplant. 2 ft. This has elongated "pitchers." The flowers are yellow..... | 75 | 2 00 | 18 00 |
| minor. Hooded Pitcherplant. 6 to 12 in. A peculiar Pitcherplant from the South. The "pitchers" wear a hood..... | 1 50 | 4 00 | |
| purpurea. Pitcherplant. 1 to 1½ ft. The Red-flowered Pitcherplant of New England. "Pitchers" are filled with water which contains drowned insects..... | 60 | 1 50 | 12 00 |
| rubra. Red Pitcherplant. A small-growing, red-flowered hooded Pitcherplant..... | 75 | 2 00 | |
| SPATHYEMA foetida. Skunk Cabbage. The leaves of this plant are 1 to 3 feet long and often 1 foot wide. Its peculiar flowers come in early spring before the leaves open. | 75 | 2 00 | 15 00 |
| THALICTRUM polygamum. Tall Meadowrue. 4 ft. Grows in either sun or shade and has graceful, showy white flowers in July and August..... | 60 | 1 50 | 12 00 |
| TYPHA angustifolia. Narrowleaf Cattail. 4 to 6 ft. A narrow-leaved form of the Cattail that grows in salt marshes, occurring rather rarely inland..... | 75 | 2 00 | 15 00 |
| latifolia. Common Cattail. 4 to 6 ft. An interesting and different bog-plant..... | 60 | 1 50 | 12 00 |
| VERATRUM viride. American False Hellebore. 2 to 4 ft. Its broad bright green leaves are practically the first to appear in the spring along our brooks and runs..... | 60 | 1 80 | |



Mertensia virginica (*Virginia Bluebells*)



Trillium grandiflorum. See page 10

Hardy Native Lilies and Bulbous Plants

| | | | |
|---|--------|--------|---------|
| ARISÆMA dracontium. Dragonroot. 2 to 3 ft. A peculiar form of Jack-in-the-Pulpit in that it has a long, tapering spadix..... | 3 | 10 | 100 |
| triphyllum. Jack-in-the-Pulpit. 1 to 3 ft. Jack readily makes himself at home in the wild garden in moist shade..... | \$0 75 | \$2 00 | \$15 00 |
| CONVALLARIA majalis. Lily-of-the-Valley. 4 to 8 in. Fragrant white flowers in May. A good ground-cover for a shady place..... | 60 | 1 50 | 12 00 |
| DICENTRA canadensis. Squirrelcorn. 6 to 12 in. An excellent rock-garden plant with white, heart-shaped flowers. Graceful, deeply cut foliage..... | 60 | 1 00 | 8 00 |
| cucullaria. Dutchman's-Breeches. 6 to 12 in. Similar to the Squirrelcorn except that the flowers remind one of a Dutchman's breeches..... | 60 | 1 00 | 8 00 |
| eximia. Fringed Bleedingheart. 1 to 2 ft. Graceful, fern-like foliage and pink flowers all summer. Needs partial shade..... | 75 | 2 00 | 15 00 |
| ERYTHRONIUM albidum. White Troutlily. 4 to 6 in. A fine white form of Erythronium..... | 50 | 1 25 | 10 00 |
| americanum. Yellow Troutlily. 4 to 6 in. The Common Adders-Tongue of New England, with spotted leaves.... | 50 | 1 25 | 10 00 |
| LILIUM canadense. Canada or Meadow Lily. 3 to 5 ft. Pale yellow to red blossoms in July in our meadows and along roadsides. Excellent for planting in shrubbery..... | 75 | 2 00 | 15 00 |
| canadense flavum. Yellow Canada Lily..... | 90 | 2 50 | 20 00 |
| canadense rubrum. Red Canada Lily..... | 1 00 | 3 00 | 25 00 |
| carolinianum. Carolina Lily. 3 to 4 ft. An orange-red Lily native to dry woods..... | 1 00 | 3 00 | |
| grayi. Gray's Lily. 2 to 3 ft. Small red mountain Lily from the highest peaks of North Carolina..... | 1 00 | 3 00 | |
| philadelphicum. Orangecup Lily. 2 ft. The exquisite red Lily that grows in dry woodlands and among the sweet ferns and blueberries. Needs an acid soil..... | 60 | 1 50 | 12 00 |
| superbum. Turkscap Lily. 4 to 6 ft. Orange-scarlet to red; spotted inside. July. Our easiest-grown native Lily.... | 75 | 2 00 | 15 00 |
| tigrinum. Old-fashioned Tiger Lily. Naturalized around old houses and deserted cellar-holes..... | 60 | 1 50 | 12 00 |
| MERTENSIA virginica. Virginia Bluebells. 1½ ft. Our fastest selling native plant. Its nodding blue bells bloom pink and turn to the clearest blue. May..... | 60 | 1 50 | 10 00 |
| SANGUINARIA canadensis. Bloodroot. 6 in. Pure white flowers in April..... | 50 | 1 20 | 8 00 |

| HARDY NATIVE LILIES and BULBOUS PLANTS, continued | | | |
|---|--------|--------|---------|
| TRILLIUM cernuum. Nodding Trillium. 1 ft. A nodding | 3 | 10 | 100 |
| Trillium with white blossoms..... | \$0 75 | \$2 00 | \$18 00 |
| erectum. Purple Trillium. 1 ft. One of the earliest Trilliums to blossom..... | 50 | 1 20 | 8 00 |
| grandiflorum. Snow Trillium. 1 to 1½ ft. Large, snow-white flowers in early spring. Excellent for naturalizing under trees or in the garden..... | 50 | 1 00 | 8 00 |
| luteum. Yellow Trillium. 1 to 1½ ft. A rare Trillium that has large mottled leaves and yellow flowers in May in the shady border or woods | 75 | 2 00 | |
| nivale. Dwarf Trillium. Clear white flowers on 4 to 6-inch stems. April..... | 75 | 2 00 | 15 00 |
| recurvatum. Prairie Trillium. 1 ft. Reddish brown flowers. Easily grown in shade..... | 60 | 1 50 | 12 00 |
| stylosum. Rose Trillium. 12 to 15 in. Rosy pink flowers in May..... | 60 | 1 50 | 10 00 |
| undulatum. Painted Trillium. 1 to 1½ ft. A white Trillium with deep pink markings..... | 60 | 1 50 | 8 00 |

Hardy Native Wild Flowers and Ground-Cover Plants

| | | | |
|---|--------|--------|---------|
| ACONITUM uncinatum. Clambering Monkshood. 3 to 6 ft. This plant, with its attractive blue flowers in July, is from the southern mountains. Rich soil in partial shade..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| ACTÆA alba. White Baneberry. 2 ft. Grows in rich soil in shade and has white blossoms followed by a cluster of waxy white berries on red stems..... | 75 | 2 00 | 15 00 |
| rubra. Red Baneberry. 2 ft. Flowers white, followed by a cluster of bright red berries. Shade..... | 75 | 2 00 | 15 00 |
| ANAPHALIS margaritacea. Pearly Everlasting. 1 to 2 ft. An excellent flower for drying..... | 60 | 1 50 | 12 00 |
| ANEMONE canadensis. Meadow Anemone. 1 to 2 ft. White blossoms from May to July..... | 75 | 2 00 | 12 00 |
| cylindrica. Thimbleweed. 2 to 3 ft. Creamy white blossoms followed by seeds in late summer that are a mass of cotton that lasts all winter..... | 60 | 1 50 | 10 00 |
| quinquefolia. American Wood Anemone. 6 in. Pure white blossoms in May in moist shade..... | 60 | 1 50 | 10 00 |
| ANEMONELLA thalictroides. Rue Anemone. 6 in. Pure white blossoms in May. Fern-like foliage. Delights in a shady spot in the rock-garden..... | 60 | 1 50 | 12 00 |
| AQUILEGIA cærulea. Rocky Mountain Columbine. Large blue and white flowers..... | 75 | 2 00 | |
| canadensis. American Columbine. 1 to 2 ft. Our best rock-plant with its profusion of red and yellow flowers in May. Grows in either sun or shade..... | 60 | 1 50 | 12 00 |
| ARALIA nudicaulis. Wild Sarsaparilla. 1 ft. Large blue berries in late summer, in shade..... | 60 | 1 50 | 12 00 |
| racemosa. American Spikenard. 2 to 3 ft. Moist shade. Red berries..... | 90 | 2 50 | |
| ASARUM canadense. Canada Wild Ginger. 3 to 6 in. A creeping plant with curious chocolate-brown blossoms hidden under the beautiful leaves. Good ground-cover plant in partial shade. Ginger-flavored root..... | 60 | 1 50 | 10 00 |
| shuttleworthi. Mottled Wild Ginger. 3 to 6 in. Large, thick, evergreen leaves. Shade..... | 75 | 2 00 | 18 00 |



Claytonia virginica (*Spring Beauty*)



Iris cristata (*Crested Iris*). See page 14

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|--|--------|--------|---------|
| ASCLEPIAS tuberosa. Butterfly Weed. 1 ft. Gorgeous orange flowers in dry soil. Full sun..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| ASTER cordifolius. Heartleaved Aster. 1 to 3 ft. Lavender flowers in profusion in September and October. Frost-resistant..... | 60 | 1 50 | 12 00 |
| ericoides. Heath Aster. 1 to 3 ft. Bears a profusion of snow-white flowers in September..... | 60 | 1 50 | 12 00 |
| linariifolius. Savory-leaved Aster. 6 to 18 in. A tufted plant with violet flowers. Requires a sandy, acid soil ... | 60 | 1 50 | 12 00 |
| novæ-angliæ. New England Aster. 3 to 7 ft. Gorgeous royal purple blossoms from mid-August to late September | 60 | 1 50 | 12 00 |
| novi-belgi. New York Aster. 3 to 5 ft. Violet-blue flowers in profusion in September..... | 60 | 1 50 | 12 00 |
| umbellatus. Flat-top Aster. 5 to 7 ft. Large showy white flowers. Good for naturalizing in moist shade..... | 60 | 1 50 | 12 00 |
| undulatus. Wave Aster. 2 ft. Violet-blue flowers in September..... | 60 | 1 50 | 12 00 |
| BAPTISIA bracteata. Cream Wild-indigo. Tall 3-foot spikes of pure white. Prefers open, dry slopes..... | 75 | 2 00 | 15 00 |
| leucantha. White Wild-indigo. 1 to 1½ ft. Full sun, in June. | 75 | 2 00 | 15 00 |
| tinctoria. Yellow Wild-indigo. 2 to 3 ft. Yellow flowers in late summer..... | 75 | 2 00 | 15 00 |
| CAMPANULA rotundifolia. Bluebells of Scotland. 6 to 12 in. A pretty little plant especially suited for crevices in the rock-garden. Deep violet-blue flowers throughout the summer..... | 75 | 2 00 | 15 00 |
| CASSIA marilandica. Wild Senna. 3 to 4 ft. Large, yellow, bell-shaped flowers in late summer..... | 75 | 2 00 | 15 00 |
| CAULOPHYLLUM thalictroides. Blue Cohosh. 2 ft. New shoots are royal purple. Flowers greenish yellow, followed by blue berries that last all fall..... | 60 | 1 50 | 12 00 |
| CHIMAPHILA maculata. Spotted Pipsissewa. 6 in. Waxy green leaves spotted with white. Flowers white..... | 1 00 | 3 00 | |
| umbellata. Common Pipsissewa. 6 in. Waxy green leaves. White flowers. Fine for shade..... | 60 | 1 50 | 12 00 |
| CHIOGENES hispidula. Creeping Snowberry. A beautiful creeping evergreen vine with waxy white berries. Requires acid soil and thrives in moist shade on rotten logs or stumps..... | 1 00 | 3 00 | 25 00 |
| CIMICIFUGA americana. American Bugbane. 2 to 3 ft. In moist shade..... | 60 | 1 50 | 12 00 |
| racemosa. Cohosh Bugbane. 3 to 5 ft. Tall white spikes in August in moist, partial shade..... | 75 | 2 00 | 15 00 |
| CLAYTONIA virginica. Spring Beauty. 4 to 6 in. The delicate white flowers, striped with pink, come in earliest spring. Partial shade..... | 50 | 1 00 | 8 00 |



Cornus canadensis

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|---|------------------|--------|---------|
| CLINTONIA borealis. Bluebead. 8 in. Glossy green, prostrate leaves and yellow, lily-like flowers followed by bright blue berries in late summer. Moist shade..... | 3 | 10 | 100 |
| | \$0 60 | \$1 50 | \$10 00 |
| COPTIS trifolia. Goldthread. 2 to 3 in. A good ground-cover in shade. Almost evergreen leaves with white blossoms in May | 60 | 1 50 | 12 00 |
| CORNUS canadensis. Bunchberry. 6 in. An excellent ground-cover for acid shade. White flowers, like flowering dog-wood, and bright red berries..... | 60 | 1 75 | 15 00 |
| CORYDALIS glauca. Pale Corydalis. 2 ft. Pink, heart-shaped blossoms. Sun or shade. Biennial. Seeds freely.. | 60 | 1 75 | 15 00 |
| DALIBARDA repens. Dalibarda. 2 to 3 in. White. Creeping evergreen ground-cover. Shade..... | 75 | 2 00 | 15 00 |
| DELPHINIUM tricornes. Rock Larkspur. 1 ft. Dark blue. Open sun..... | 60 | 1 50 | 12 00 |
| DESMODIUM canadense. Canada Tick-Trefoil. 2 to 6 ft. Purple flowers. Sandy loam. Sun or partial shade..... | 60 | 1 50 | 12 00 |
| DODECATHEON meadia. Shooting Star. Delightful white to pink blossoms on 1 to 2-foot stems. Sun or open woods. | 60 | 1 50 | 12 00 |
| EPIGÆA repens. Trailing Arbutus. The well-known May-flower with its delightful fragrance. It should be planted in acid soil. The soil under pine trees is ideal and the plants should be shaded with pine needles when planted. We have several thousand growing in our shade beds. Plants are shipped B.&B..... | 75c. each.. 1 50 | 4 00 | |
| EPILOBIUM angustifolium. Fireweed or Blooming Sally. 3 to 4 ft. Magenta. Sun..... | 60 | 1 50 | 10 00 |
| EUPATORIUM cœlestinum. Mistflower. 2 ft. Blue. Open woods. August..... | 60 | 1 50 | 12 00 |
| perfoliatum. Boneset. 2 to 3 ft. White. Bogs..... | 60 | 1 50 | 10 00 |
| purpureum. Joe-pye-weed. 4 to 6 ft. Rosy purple. Bogs.. | 60 | 1 50 | 12 00 |
| urticæfolium. Snow Thoroughwort. 2 to 3 ft. Broad flower-heads of pure white in August and September in open, moist woods..... | 60 | 1 50 | 12 00 |



Dodecatheon meadia. See page 12

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|--|--------|--------|---------|
| GALAX aphylla. Galax. 1 ft. This plant prefers acid shade and has a 6-inch spike of white flowers in June. Evergreen leaves..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| GAULTHERIA procumbens. Wintergreen. 2 to 6 in. An evergreen ground-cover with aromatic leaves. Bright red berries all winter. It grows in sun or partial shade and requires an acid soil..... | 60 | 1 50 | 12 00 |
| GENTIANA andrewsi. Closed Gentian. 1 to 1½ ft. The purple-blue flowers come in September. Easily grown in moist sun or shade..... | 60 | 1 50 | 12 00 |
| linearis. Narrowleaf Gentian. 1½ ft. A porcelain-blue Blind Gentian that blossoms in August..... | 60 | 1 50 | 12 00 |
| GERANIUM maculatum. Wild Geranium. 1 ft. A native of the woods and fields. Rose-purple blossoms in May and June..... | 60 | 1 50 | 10 00 |
| robertianum. Herb Robert. 1 ft. Native of the rocky woods with a more intense red-purple blossom..... | 60 | 1 50 | 10 00 |
| HEPATICA acutiloba. Sharplobe Hepatica. 8 in. White to purple blossoms in April. It is evergreen and requires some shade..... | 60 | 1 50 | 12 00 |
| triloba. Roundlobe Hepatica. 8 in. An acid-soil Hepatica with white to blue flowers..... | 60 | 1 50 | 12 00 |
| HEUCHERA americana. American Alum-root. 1 to 2 ft. Large, beautifully mottled leaves and lacy greenish white flowers in late June | 75 | 2 00 | 15 00 |
| HOUSTONIA cærulea. Bluets. 3 to 4 in. Dainty cushion-like plant with pale blue to white blossoms in the open sun or partial shade in April..... | 50 | 1 25 | 8 00 |
| serpyllifolia. Creeping Bluets. 3 to 6 in. Blue flowers all summer. A fine rock-garden plant | 90 | 3 00 | 20 00 |
| HYDRASTIS canadensis. Goldenseal. 1 to 1½ ft. A fine medicinal herb | 75 | 2 00 | |



Hepatica triloba. See page 13

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | | |
|-----------------------|--|--------|--------|---------|
| INULA helenium. | Elecampane. 2 ft. Sunflower-like blossoms in midsummer in moist shade..... | 3 | 10 | 100 |
| | | \$0 75 | \$2 00 | \$15 00 |
| IRIS cristata. | Crested Iris. 4 in. A fine rock-garden plant in either sun or shade. Sky-blue flowers..... | 75 | 2 00 | 15 00 |
| IRIS verna. | Vernal Iris. Blue flowers on 4-inch stems in dry woods or the rock-garden..... | 75 | 2 00 | 15 00 |
| JEFFERSONIA diphylla. | Twinleaf. White flowers on 6 to 8-inch stems. Shade..... | 75 | 2 00 | 15 00 |
| LATHYRUS maritimus. | Beach Pea. Purple blossoms on 1 to 2-foot vines. Sandy soil. Sun..... | 60 | 1 50 | 12 00 |
| LESPEDEZA capitata. | Roundhead Bushclover. Yellowish white blossoms on 2 to 5-foot stems. Dry, gravelly soil. Sun..... | 60 | 1 50 | 12 00 |
| LEWISIA rediviva. | Bitterroot. A dense rosette of leaves through which arise many stems, each bearing a single white to pink flower 1½ inches across. Most effective in little raised pockets in the rock-garden..... | 75 | 2 00 | 18 00 |
| LIATRIS pycnostachya. | Cattail Gayfeather. 3 ft. Deep pink blossoms in August. Sun..... | 60 | 1 50 | 12 00 |
| LIATRIS scariosa. | Button Gayfeather. 2 ft. Pink blossoms in August. Sun..... | 60 | 1 50 | 12 00 |
| LIATRIS spicata. | Spike Gayfeather. 3 to 5 ft. Deep rose blossoms in July and August..... | 60 | 1 75 | 10 00 |

COLLECTION D. Rock-Garden Wild Flowers

| | | |
|----|--|--------------|
| 5 | Aquilegia canadensis. Columbine | \$0 75 |
| 5 | Iris cristata. Crested Iris | 1 00 |
| 5 | Saxifraga virginiensis. Virginia Saxifrage | 75 |
| 5 | Viola pedata bicolor. Two-color Birdsfoot Violet | 1 00 |
| 20 | Wild Flowers | Worth \$3 50 |

This Collection for \$2.50

| HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued | | | |
|--|-------------|--------------|----------------|
| LINARIA vulgaris. Common Toadflax. 1 ft. Yellow blossoms in July and August. Light, sandy soil..... | 3 \$0 60 | 10 \$1 50 | 100 \$10 00 |
| LINNÆA americana. Twinflower. Dainty pink flowers in pairs. Evergreen vine. Shade..... | 75 | 2 00 | 15 00 |
| LITHOSPERMUM canescens. Hoary Puccoon. 6 to 18 in. Yellow flowers in clusters in May and June. Sun..... | 60 | 1 50 | 12 00 |
| LOBELIA cardinalis. Cardinal Flower. Bright scarlet flowers in 6-inch spikes on 2 to 3-foot stalks in brooks and ponds | 60 | 1 50 | 12 00 |
| syphilitica. Large Blue Lobelia. 1 to 3 ft. Similar to the Cardinal Flower except that the flowers are blue..... | 60 | 1 50 | 12 00 |
| LYSIMACHIA nummularia. Moneywort. A very vigorous ground-cover. Yellow flowers..... | 60 | 1 50 | 12 00 |
| LYTHRUM salicaria. Purple Loosestrife. Spikes of purple flowers on 2 to 4-foot stems in July and August, in our bogs and along streams..... | 60 | 1 50 | 12 00 |
| MAIANTHEMUM canadense. False Lily-of-the-Valley. Spikes of white flowers on 4-inch stems, followed by red berries. A good ground-cover for dry woods..... | 60 | 1 50 | 12 00 |
| MEDEOLA virginica. Cucumber-root. Curious whorled leaves on 1 to 2-foot stems. Greenish yellow flowers followed by blue fruits..... | 60 | 1 50 | 12 00 |
| MENTHA spicata. Spearmint. 1 to 2 ft. All of us know the aromatic flavor of the leaves of this plant. For planting in moist ground..... | 60 | 1 50 | 12 00 |
| MITCHELLA repens. Partridge Berry. One of the best ground-covers for a shady place with its evergreen leaves, pink and white blossoms in June, and its scarlet berries in the fall..... | 60 | 1 50 | 12 00 |
| MITELLA diphylla. Bishopscap. The white flowers appear in May on 1-foot stems. For the shady rock-garden..... | 60 | 1 50 | 12 00 |
| MONARDA fistulosa. Wildbergamot. Lavender blossoms on 2 to 4-foot stems in midsummer..... | 60 | 1 50 | 12 00 |
| MONESSES uniflora. One-flowered Pyrola. A Pyrola with delightful, single, waxy white flowers on 4-inch stems in June. Shade..... | 75 | 2 00 | 15 00 |
| NEPETA cataria. Catnip. 2 ft. Naturalized from Europe.... | 75 | 2 00 | 15 00 |
| hederacea. Ground-ivy. A ground-cover for the herb-garden in either sun or shade. Pale blue flowers..... | 60 | 1 50 | 12 00 |
| OXALIS violacea. Woodsorrel. The plant grows from 4 to 9 inches tall and has dainty pink blossoms..... | 60 | 1 50 | 12 00 |
| PARNASSIA caroliniana. Grass of Parnassus. White, waxy blossoms on 1-foot stems in August, in open bogs and moist places..... | 60 | 1 50 | 12 00 |
| PEDICULARIS canadensis. Early Woodbetony. A curious, dry-soil plant with gray-green leaves and brown and yellow flowers in June..... | 60 | 1 50 | 12 00 |
| PHLOX amoena. Amoena Phlox. Low-growing Phlox with pink blossoms..... | 60 | 1 50 | 12 00 |
| bifida. Cleft Phlox. 3 to 6 in. A low-growing Phlox from the sandy lands of the Middle West. Pale purple. Sun or shade..... | 60 | 1 50 | 12 00 |
| divaricata. Blue Phlox. Excellent for naturalizing in woods with its lavender-blue flowers on 1-foot stems in May.... | 60 | 1 50 | 12 00 |
| glaberrima. Smooth Phlox. A prairie Phlox that grows 1 to 3 feet high, with pink blossoms in July..... | 60 | 1 50 | 12 00 |



Arisaema triphyllum. See page 9



Lobelia cardinalis. See page 15

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|---|--------|--------|---------|
| Phlox ovata. Mountain Phlox. 1 ft. A native of the southern mountains. It has beautiful pink flowers in June in sun or shade..... | 3 | 10 | 100 |
| | \$0 75 | \$2 00 | \$15 00 |
| pilosa. Prairie Phlox. 1 ft. Pink flowers in June..... | 75 | 2 00 | 15 00 |
| stolonifera. Creeping Phlox. One of the best ground-covers for the dry woods. Large violet flowers in early June..... | 75 | 2 00 | 15 00 |
| PODOPHYLLUM peltatum. May Apple. White flowers in May on 1-foot stems in the open woods..... | 60 | 1 50 | 12 00 |
| POLYGALA paucifolia. Fringed Polygala. Dainty rose-purple flower on a 4-inch stem in May. Prefers dry shade..... | 75 | 2 00 | 15 00 |
| POLYGONATUM biflorum. Solomonseal. White bells in May along the underside of an arching 1 to 1½-foot spray of leaves, followed by blue berries all summer, in open woods..... | 60 | 1 50 | 12 00 |
| commutatum. Giant Solomonseal. Grows 3 to 4 feet tall in moist, open fields..... | 75 | 2 00 | 15 00 |
| POTENTILLA tridentata. Wineleaf Cinquefoil. A wonderful ground-cover for open rocks and gravelly soil. Small, waxy leaves that turn wine-colored in the fall. Rock-garden plant..... | 75 | 2 00 | 15 00 |
| PYROLA americana. Roundleaf Pyrola. Leathery, light green leaves, with fragrant, waxy white flowers on an 8-inch stem in July. Shade..... | 60 | 1 50 | 12 00 |
| elliptica. Shinleaf. Similar to <i>Pyrola americana</i> but the leaves are not evergreen..... | 60 | 1 50 | 12 00 |

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|--|--------|--------|---------|
| RANUNCULUS bulbosus. Bulbous Buttercup. Grows in compact clumps with large yellow flowers on 1-foot stems in June and July..... | 3 | 10 | 100 |
| | \$0 60 | \$1 50 | \$12 00 |
| RUDBECKIA hirta. Black-eyed-susan. 2 ft. Orange-yellow with purple-brown centers. A biennial..... | 60 | 1 50 | 12 00 |
| SANGUISORBA canadensis. American Burnet. 4 ft. Tall spikes of creamy white flowers. Grows in wet meadows and along brooks | 75 | 2 00 | 15 00 |
| SAPONARIA officinalis. Bouncing-bet. 2 ft. Escaped from cultivation. Pink and white flowers..... | 60 | 1 50 | 12 00 |
| SAXIFRAGA pennsylvanica. Swamp Saxifrage. A rosette of waxy green leaves from which the 2-foot flower-stalk grows. Flowers greenish..... | 60 | 1 50 | 12 00 |
| virginiensis. Virginia Saxifrage. Easily grown rock-plant that likes sun or partial shade. White..... | 60 | 1 50 | 12 00 |
| SHORTIA galacifolia. Oconee-bells. 6 in. Evergreen ground-cover, with bell-shaped white flowers. Suited for shade.. | 1 00 | 3 00 | 25 00 |
| SILENE stellata. Starry Campion. 2 ft. Fringed white flowers in June..... | 75 | 2 00 | 15 00 |
| virginica. Firepink. 1 ft. Brilliant scarlet flowers in June. Sun or partial shade..... | 75 | 2 00 | 15 00 |
| SMILACINA racemosa. False Solomonseal. 2 ft. White flowers in May followed by a cluster of red berries. Sun or partial shade..... | 60 | 1 50 | 12 00 |
| SOLIDAGO bicolor. Silver-rod. 2 ft. A small white Goldenrod | 60 | 1 50 | 12 00 |
| nemoralis. Dwarf Goldenrod. 6 to 18 in. A dwarf type of Goldenrod..... | 60 | 1 50 | 12 00 |
| sempervirens. Seaside Goldenrod. 2 to 4 ft. Grows in the sand along our beaches and also in salt marshes..... | 60 | 1 50 | 12 00 |
| STREPTOPUS roseus. Twistedstalk. 2 ft. Pink flowers in May, followed by scarlet berries in July, on stout twisted stalks. Rich soil in partial shade..... | 75 | 2 00 | 15 00 |
| STYLOPHORUM diphyllum. Celandine-poppy. Yellow terminal flowers on 1 to 1½-foot stems in May in either sun or shade..... | 60 | 1 50 | 12 00 |
| THALICTRUM dioicum. Early Meadowrue. 2 ft. Misty purplish flowers in May in rich woods..... | 60 | 1 50 | 12 00 |
| polygamum. Tall Meadowrue. 4 to 8 ft. Very showy white flowers in summer. Prefers moist meadows or bogs in sun or shade..... | 60 | 1 50 | 12 00 |
| TIARELLA cordifolia. Foamflower. 6 to 8 in. Fluffy heads of white. Fine for massing in moist partial shade..... | 60 | 1 50 | 12 00 |



Tiarella cordifolia and Trillium undulatum. See above and page 10



Sanguinaria canadensis. See page 9

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|---|--------|--------|---------|
| TRADESCANTIA virginiana. Spiderwort. 2 ft. Deep blue blossoms in June in the open sun..... | 3 | 10 | 100 |
| | \$0 60 | \$1 50 | \$12 00 |
| TRIENTALIS americana. Starflower. 6 in. Dainty white flowers in June in the open woods..... | 60 | 1 50 | 12 00 |
| UVULARIA grandiflora. Big Merrybells. Largest of the Merrybells, with bright yellow flowers..... | 60 | 1 50 | 12 00 |
| perfoliata. Wood Merrybells. Pale yellow flowers on 1-foot stems in rich woods in May..... | 60 | 1 50 | 12 00 |
| sessilifolia. Little Merrybells. Pale yellow flowers..... | 60 | 1 50 | 10 00 |
| VERBENA hastata. Blue Vervain. 3 to 4 ft. Blue flowers on slender spikes along our roadsides and brooks in August.. | 60 | 1 50 | 12 00 |
| VERNONIA altissima. Ironweed. 4 to 6 ft. Deep purple flowers in August in moist, open spots..... | 60 | 1 50 | 12 00 |
| VERONICA officinalis. Common Speedwell. Creeping plant with bright blue flowers along our woodland paths..... | 50 | 1 50 | 10 00 |
| virginica. Culvers-root. Long spikes of white flowers on 2 to 3-foot stalks in midsummer, in either sun or shade.. | 75 | 2 00 | 15 00 |
| VINCA minor. Common Periwinkle. This blue Myrtle has become naturalized and is one of the best low ground-covers..... | 60 | 1 50 | 12 00 |

COLLECTION E. Plants for the Woodland Pathway

| | |
|--|---------------|
| 10 Actæa alba. White Baneberry | \$2 00 |
| 10 Clintonia borealis. Bluebead | 1 50 |
| 10 Dalibarda repens. Dalibarda | 2 00 |
| 10 Dodecatheon meadia. Shooting Star | 1 50 |
| 10 Hepatica triloba. Roundlobe Hepatica | 1 50 |
| 10 Phlox divaricata. Blue Phlox | 1 50 |
| 10 Mertensia virginica. Virginia Bluebells | 1 50 |
| 10 Sanguinaria canadensis. Bloodroot | 1 20 |
| 10 Trillium grandiflorum. Snow Trillium | 1 00 |
| 90 Plants | Worth \$13 70 |

This Collection for \$10.00 or half the Collection for \$5.50

HARDY NATIVE WILD FLOWERS and GROUND-COVER PLANTS, continued

| | | | |
|---|--------|--------|---------|
| VIOLA blanda. Sweet White Violet. Tiny sweet white flowers in earliest spring..... | 3 | 10 | 100 |
| | \$0 50 | \$1 50 | \$10 00 |
| canadensis. Canada Violet. A large Violet growing 1 foot tall in rich woods. Flowers are white with the back of the petals tinged with violet-purple..... | 60 | 1 50 | 12 00 |
| conspersa. Dog Violet. Light lavender Violet of the open fields..... | 50 | 1 50 | 10 00 |
| cucullata. Blue Marsh Violet. Large blue-violet flowers on 6-inch stems..... | 50 | 1 25 | 8 00 |
| fimbriatula. Ovate-leaved Violet. A deep purple, low-growing Violet that covers our dry pasture hills..... | 50 | 1 50 | 10 00 |
| hastata. Halberd-leaved Yellow Violet. A creeping Violet common to our southern Appalachians..... | 75 | 2 00 | 15 00 |
| lanceolata. Lanceleaf Violet. Sweet white Violet of our damp, sandy fields | 50 | 1 50 | 10 00 |
| palmata. Palm Violet. A large-flowering blue Violet sometimes tinged with white..... | 60 | 1 50 | 12 00 |
| pedata bicolor. Two-color Birdsfoot Violet. The best rock-garden Violet. Upper petals dark violet, lower petals lavender. Blossoms in May and again in late August and September. Requires acid soil | 75 | 2 00 | 15 00 |
| pedata lineariloba. Lilac Birdsfoot Violet. Large lavender flowers with bright yellow centers. For the sunny rock-garden. Acid soil | 60 | 1 50 | 12 00 |
| primulifolia. Primrose-leaved White Violet. A white Violet from the southern mountains..... | 60 | 1 50 | 10 00 |
| pubescens. Downy Yellow Violet. Tall yellow Violet of the rich woods. Blossoms in May..... | 60 | 1 50 | 10 00 |
| rotundifolia. Roundleaf Yellow Violet. Tiny yellow flowers before the leaves. Large, bright green leaves in summer.. | 60 | 1 50 | 10 00 |



Saxifraga virginensis. See page 17

COLLECTION F. Native Violets

| | |
|---|--------------------|
| 10 Viola blanda. Sweet White Violet | \$1 50 |
| 10 Viola cucullata. Blue Marsh Violet | 1 25 |
| 10 Viola pedata lineariloba. Lilac Birdsfoot Violet | 1 50 |
| 10 Viola pedata bicolor. Two-color Birdsfoot Violet | 2 00 |
| 10 Viola rotundifolia. Roundleaf Yellow Violet | 1 50 |
| 50 Violets | Worth . . . \$7 75 |

This Collection for \$6.00 or half the Collection for \$3.50

SPRING
1938



PHLOX DIVARICATA
See page 15

Native American
FERNS
and
WILD FLOWERS

ISAAC LANGLEY WILLIAMS

Exeter Wild Flower Gardens

P. O. Box 144 ▪ EXETER ▪ NEW HAMPSHIRE

